

# MFC-620CN

### MFC-620CN

- **Colour** Printer
- Colour Fax Colour Copier

- Colour Scanner
  PhotoCapture Centre™
  Answering Machine
  Integrated Networking



trobner

•• Always at your side

www.brother.co.uk http://solutions.brother.com/index-eu.html

## **The Brother MFC-620CN.**

With print, fax, copy, scan and answering machine it is the all-in-one communication solution.



Network printing, faxing and scanning



MFC-620CN ■ Colour Printer ■ Colour Fax ■ Colour Copier ■ Colour Scanner ■ PhotoCapture Centre<sup>™</sup> ■ Answering Machine ■ Integrated Networking

MFC-620CN

Whether for use in the office or the home you simply won't find a more comprehensive range of functions and features at a more competitive price.



80 Speed dials and a 400 page fax memory

### Stylish and compact – communication made easy

Designed to make big boxes and trailing wires a thing of the past, the MFC-620CN provides all the communication functions you need in one stylish package. A two line, backlit LCD makes everything clear so that you are in full control from the minute you install the machine. With full network connectivity this is a comprehensive solution for any home or small office.

#### Quality printing whatever the format

Whether you are printing a simple text document or a complex series of colour charts, quality is guaranteed at speeds that won't leave you frustrated. Thanks to borderless printing and pin sharp definition, photo quality prints are now possible. With full network connectivity there is no need to invest in stand-alone printers for your other laptops or PC's.

- Up to 1,200 x 6,000dpi print resolution
- Up to 20ppm mono print speed
- Up to 15ppm colour print speed
- 100 sheet front loading paper tray

#### Professional quality faxing

The flatbed and automatic document feeder means bound documents are as simple to send as single sheets. A sizeable memory ensures vital fax information won't get lost. Speed dialling makes life easier and the network facility enables documents to be faxed from any connected PC or laptop.



Scanning at up to 19,200dpi Interpolated resolution

- Up to 400 page memory
- Up to 80 speed dials
- Up to 10 sheet automatic document feeder

### Colour copying with every option covered

The MFC-620CN comes complete with both automatic document feeder and flatbed facility. Copying single sheets or large bound documents can be carried out with minimum fuss and without even having to turn on your PC.

- Up to 600 x 1,200dpi resolution

#### Totally versatile network scanning

The ability to scan documents is a standard feature. This machine also offers outstanding value with its scanning software. It means your network of users can easily scan to e-mail, image, OCR and file.

- Up to 19,200dpi interpolated resolution
- ScanSoft<sup>®</sup> PaperPort<sup>®</sup> & OmniPage<sup>®</sup> software included

Multifunction machine

#### Integral speaker-phone and answering machine

Completing the communication line-up for the MFC-620CN, this machine has an integrated duplex speakerphone and telephone answering machine.

- Hands-free dialling
- Stores up to 99 messages

#### PhotoCapture Centre™

With digital photography becoming more and more popular, the MFC-620CN has all you need to enjoy the benefits of this new technology. The media slots allow memory cards to be read without a plug-in card reader or the inconvenience of using the software on your computer to download your pictures. You can study a complete selection of thumbnails before you make your print selection, saving time and expense.

You can also save and retrieve files via your media card, making this an additional and convenient data transfer tool. Full networking capability allows all images to be saved or accessed from any network-connected computer.

The MFC-620CN is compatible with six of the most popular media cards.

- Compact Flash<sup>™</sup> - Memory Stick Pro™
- Smartmedia™
- Secure Digital<sup>™</sup>
- Memory Stick<sup>™</sup>
- xD Picture Card<sup>™</sup>

Individual Ink Cartridges

Eliminating the frustration of having to throw away unused inks, Brother's colour inkjet machines provide separate ink cartridges for each colour. Now all you have to do is replace the empty colour cartridge reducing wastage and the cost per copy.









### MFC-620CN

### **Technical Specification** General

| General  |                                   |       |                     |  |  |   |   |                           |          |                   |                                  | Colour  |
|--|-----------------------------------|-------|---------------------|--|--|---|---|---------------------------|----------|-------------------|----------------------------------|---|
| Engine<br>Backlit LCD Display<br>Illuminated Function Keys<br>Memory Capacity<br>Paper handling size<br>ADF<br>(Automatic Document Feeder) | )                                 |       |                     | Fax, Co<br>Centre<br>16MB s<br>A4, LTF<br>Envelop<br>Up to 1 | py, Sca<br>functior<br>standard<br>R, LGL, I<br>De + ac<br>O sheet | n, Mess<br>1 keys a<br>1<br>EXE, A5<br>Iditional<br>s |   | er and F<br>ed for ea     |          |                   |                                  | Colour<br>Resolution<br>Scan spectra<br>Grey Sca<br>Colour D<br>'Scan' ket<br>Interfa |
| Media Type<br>Paper Capacity<br>Simultaneous Operation   | Input Tray/O                      | utput |                     | Up to 1  | 00 shee  | ets/Up to   | ransparency<br>o 25 sheets<br>ı) (Print/Cop                               |                           | Copy)    |                   |                                  | External  |
| Colour Printer   |                                   |       |                     |  |  |   |   |                           |          |                   |                                  | Network   |
| Speed<br>Resolution<br>Borderless Printing<br>Variable drop size   |                                   |       |                     | Max.1,2<br>Borderl<br>Card/In<br>3 sizes                     | 200 x 6<br>less prin<br>dex Can<br>for vari                        | 000dpi<br>nting is a<br>rd/Post<br>able doi           | 15ppm colo<br>available for<br>Card<br>t print with r<br>lity printing    | r A4/LTR                  |          |                   | f                                | Optional<br>Media Ca<br>Acceptal<br><b>Suppli</b>                                     |
| Colour Fax   |                                   |       |                     |  | Gilliand   | cu qua  | nty printing  |                           |          |                   |                                  | Supplied cartridge  |
| Modem<br>Data Compression  |                                   |       |                     |  |  |   | econds tran<br>R Colour: J  |                           | 1        |                   |                                  | mode @  |
| Automatic redial   |                                   |       |                     |  |  |   | recipient fa  |                           | /        |                   |                                  | Weigh   |
| Speed dials<br>Group dials   |                                   |       |                     | Up to 6  | groups   |   | ored numbe  |                           |          |                   |                                  | Dimensi   |
| Fax / Tel switch<br>Grey scale   |                                   |       |                     | Automa<br>256 sha  |  | -   | of fax and t  | elephon                   | e recept | ion               |                                  | Photo(  |
| Transmit/Receive Memory<br>Broadcasting locations<br>Dual Access   |                                   |       |                     | Up to 4<br>Send th   | 00 page<br>ne same<br>fax for                                      | es (ITU-<br>fax me<br>transmi                         | T Test Chart<br>essage to up<br>ession whilst                             | to 130                    |          | S                 |                                  | Acceptal  |
| Message Manager  |                                   |       |                     |  |  |   |   |                           |          |                   |                                  |   |
| Message Manager<br>Out Going Message<br>Incoming Message   |                                   |       |                     | Up to 2<br>Up to 9   | 0 secor<br>9 mess  | ids<br>ages de  | facilty for fa<br>pending on<br>, 12 or 180                               | length o                  | of messa |                   |                                  | Removal<br>Image fo   |
| Colour Copier  |                                   |       |                     |  |  |   |   |                           |          |                   |                                  | Colour E  |
| Speed<br>Resolution<br>Multi copy<br>Enlargement / reduction ratio<br>N in 1<br>Poster Printing  |                                   |       |                     | Up to 6<br>Product<br>25% - 4<br>Compre                      | 500 x 1,<br>es up to<br>400% ir<br>ess 2 or                        | 200dpi<br>99 cop<br>1% inc<br>4 page                  | 11ppm colo<br>bies of each<br>crements<br>as on to a sir<br>rint onto 3 x | original<br>ngle she      |          | ly)               |                                  | Netwo<br>Built in N<br>Network<br>Network<br>Centre™                                  |
| MFC-620CN  | Scanner<br>Resolution<br>Upto DPI | WIA   | Scan<br>to<br>Image | Scan<br>to<br>E-mail   | Scan to<br>to<br>OCR   | Scan to<br>to<br>File                                 | PhotoCapture<br>Centre™   | Brother<br>PC-FAX<br>Send |          | Printer<br>Driver | Brother<br>Control<br>Centre 2.0 | Remote<br>Setup<br>D  |
| Microsoft Windows®   | 10000-10000                       | THAIN | ,                   | ,  |  | ,   | ,   | ,                         | (*       | ,                 | ,                                | /*  |

| Colour Scanner  |   |   |
|---|---|---|
| Resolution<br>Scan speed  | Optical<br>Interpolated                   | Max. 600 x 2,400dpi<br>Max. 19,200 x 19,200dpi (with XP special tool)<br>Scan speed is from 4 seconds Mono and from 6 seconds |
| Grey Scale  |   | Colour (A4 size, 100 x 100dpi)<br>256 shades of grey  |
| Colour Depth  | Input/Output                              | 36/24 bit   |
| 'Scan' key  |   | Allows the user to scan to e-mail, OCR, Image, File or Card   |
| Interface(s)  |   |   |
| USB   |   | USB 1.1 & 2.0 Full Speed connectivity as standard   |
| External TAD Interface  |   | Interface for connecting external telephone<br>answering devices  |
| Network Interface as standard   |   | This model is supplied with a built in<br>10/100BASE-TX network interface   |
| Optional Wireless Network   |   | NC-2200w wireless USB Print/Scan Server is available<br>as an option with this model  |
| Media Card Drive<br>Acceptable Media Cards                                  |   | SmartMedia, Compact Flash, Sony Memory Stick, Sony<br>Memory Stick Pro, Secure Digital, xD Picture Card                       |
| Supplies - Individual In  | k Cartridges                              |   |
| Supplied with standard yield cartridges. Pages in normal mode @ 5% coverage | Black<br>Cyan<br>Magenta                  | LC-900BK - approx 500 pages<br>LC-900C - approx 400 pages<br>LC-900M - approx 400 pages                                       |
| inone (e executinge   | Yellow                                    | LC-900Y - approx 400 pages  |
| Weights & Dimensions  |   |   |
| Dimensions / Weight   | With Carton<br>Without Carton (open tray) | 500(w) x 225(d) x 450(h) mm / 8.6kg<br>375(w) x 455(d) x 165(h) mm / 6.0kg  |
| PhotoCapture Centre™  | wintout our ton (open may)                | 010(w) x 400(u) x 100(ii) min / 0.0kg   |
| Acceptable Media  | SmartMedia                                | 3.3v 4MB - 128MB  |
| Acceptable media  | Compact Flash                             | Type 1 only - 4MB - 2GB   |
|   | Memory Stick                              | 16MB - 128MB (Duo with Adaptor)   |
|   | Memory Stick Pro                          | 256MB - 1GB   |
|   | Secure Digital                            | 16MB - 512MB (Mini SD with Adaptor)   |
| Domouchio Diak Drivo  | xD Picture Card                           | 16MB - 512MB  |
| Removable Disk Drive<br>Image format  | Save & Retrieve files<br>Photo Print      | Using any of the above listed media cards<br>JPEG   |
|   | Scan to Card                              | JPEG, PDF (colour) / TIFF, PDF (B&W)  |
| Colour Enhancement  |   | Brother image enhancement allows you to<br>custom colour output   |
| Network as standard   |   |   |
| Built in Network  |   | 10/100Base-TX Ethernet  |
| Network Functions<br>Network PhotoCapture<br>Centre™                        |   | Printing, Scanning, PC-Fax and PhotoCapture Centre™<br>View media card images through a LAN using Web<br>browsing             |
|   |   |   |

| MFC-620CN  | Scanner<br>Resolution<br>Upto DPI         | TWAIN/<br>WIA<br>Driver | Scan<br>to<br>Image | Scan<br>to<br>E-mail | Scan to<br>to<br>OCR | Scan to<br>to<br>File | PhotoCapture<br>Centre™ | Brother<br>PC-FAX<br>Send | Brother<br>PC-FAX<br>Receive | Printer<br>Driver | Brother<br>Control<br>Centre 2.0 | Remote<br>Setup | Status<br>Monitor | Newsoft*<br>Presto*<br>Page Manager* | ScanSoft®<br>PaperPort®<br>9.0SE |
|--|---|-------------------------|---------------------|----------------------|----------------------|-----------------------|-------------------------|---------------------------|------------------------------|-------------------|----------------------------------|-----------------|-------------------|--------------------------------------|----------------------------------|
| Microsoft Windows®<br>98(SE)/Me<br>2000 Professional<br>XP | 19200x19200<br>19200x19200<br>1200x1200** | TWAIN<br>TWAIN<br>WIA   | 111                 | 111                  | 111                  | \$<br>\$<br>\$        | 5.5                     | \$<br>\$<br>\$            | √*<br>√*<br>√*               | 111               | \<br>\<br>\                      | /*<br>/*<br>/*  | \$<br>\$<br>\$    |                                      | 111                              |
| Macintosh®<br>OS 8.6<br>OS 9.x<br>OS 10.2.4 or greater     | 19200x19200<br>19200x19200                | TWAIN*<br>TWAIN         |                     | 1                    | 1                    | 1                     | <i>1</i><br><i>1</i>    | 1<br>1<br>1               |                              | 111               | 1                                | √*              |                   | √*<br>√*<br>√                        |                                  |

| MINIMUM SYSTEM REQUIREMENTS AVAILABLE HARD DISK SPACE |  |                          |  |                                  |                                    |                                   |                                      |  |  |  |  |
|---|--|--------------------------|--|----------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|--|--|--|
| COMPUTING<br>SYSTEM                                   | OPERATING<br>SYSTEM VERSION              | PC<br>INTERFACE          | PROCESSOR<br>SPEED                           | MINIMUM<br>RAM                   | RECOMMENDED<br>RAM                 | For Drivers                       | For Applications                     |  |  |  |  |
| ® SWOUNIM   | 98 (SE)<br>Me<br>2000 Professional<br>XP | USB<br>10/100<br>BASE-TX | Pentium® II<br>or equivalent                 | 32 MB<br>32 MB<br>64 MB<br>128MB | 64 MB<br>64 MB<br>128 MB<br>256 MB | 90 MB<br>90 MB<br>90 MB<br>150 MB | 130 MB<br>130 MB<br>130 MB<br>220 MB |  |  |  |  |
| MAC®  | OS 8.6 - OS 9.2                          | 2/102 1/1                | All base mode<br>minimum requir              |                                  | 64 MB                              | 80MB                              | 200 MB                               |  |  |  |  |
| W   | OS 10.2.4 or greater                     |                          | All base models meet<br>minimum requirements | 128 MB                           | 160 MB                             | 80 MB                             | 200 MB                               |  |  |  |  |





Contact:



#### Audenshaw, Manchester M34 5JD Tel:0870 830 4000 (National Rate Call) Fax:0870 830 4031 Web-site: www.brother.co.uk

Your calls to us may be monitored or recorded for training purposes Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.