HL-2460 SERIES Laser Printers for Business

Power and Performance Your Workgroup Needs Today and Tomorrow

Featuring...

- Up to 25ppm print speed
- Crisp text and graphics with Brother HQ1200 printing
- 2 line, 3-color backlit LCD display to instantly view printer status
- 600-sheet standard paper capacity, up to 2,100 sheets with optional trays
- 10/100 BaseT Ethernet standard on HL-2460N (optional on HL-2460)
- Mailbox/sorter options for output flexibility



HL-2460N



HL-2460

Design a system to suit your needs

The wide range of add-on options for the HL-2460 means you can easily create your optimal workgroup printing environment. Add extra input capacity with additional lower paper trays. Install a duplex unit for reliable, two-sided printing. Add a set of mailboxes for sorting and collation. The HL-2460's options provide the adaptability and flexibility to meet the changing needs of your workgroup.

MX-7010

By adding this optional 10-bin mailbox, you can sort and collate up to 1,000 sheets. Removing bins 2, 4, 7, 9 increases total output capacity (including the standard output tray) to 1,900 sheets.

> HL-2460 Printer

LT-7000

Up to 3 LT-4000's can be added, giving a total additional input capacity of 1,500 sheets.

LT-7000

LT-7000

DX-7000

Duplex unit for double-sided printing. Installation is easy – just slide in the unit at the back of the printer.

SB-4000

Stabilizer unit.

At your side.

The Brother HL-2460 Laser Printer offers a complete solution to today's complex business printing requirements. Designed for speed and reliability, this high performance monochrome laser printer delivers outstanding print quality up to an impressive 25 pages per minute. Engineered with flexibility in mind, this powerful printer can easily meet your most demanding output needs today while providing an excellent foundation for your future needs as well.

- Fast, high quality laser printing up to 25 ppm
- Outstanding Brother HQ1200 print quality
- Excellent compatibility & connectivity
- Wide range of expansion options
- Powerful advanced network management tools



COI





The Brother HL-2460's HQ1200 print quality ensures crisp black text and sharp graphics to give your documents a professional appearance.

Select options to suit your needs

Whatever your current and future workgroup printing needs, the HL-2460 is an excellent foundation for future expansion. With its wide range of productivity enhancements, including fast networking, expandable memory, automatic duplex, as well as additional paper input capacity and mailbox sorters, the HL-2460 offers a very flexible means of meeting your output needs today and tomorrow.

Large Paper Input Capacity

Add up to three additional paper trays to increase your total input capacity up to 2,100 sheets. The HL-2460 enables printing on a wide range of paper weights and sizes, including envelopes.

Advanced networking

An optional network print server (NC-4100h, standard on the HL-2460N) enables connectivity to Ethernet networks. Brother's powerful BRAdmin Professional software can be used to manage Brother printers as well as view the status of other SNMP compliant printers. A built-in Web server ensures that Windows[®], Macintosh[®] and Unix users can manage the HL-2460N on their network using a Web browser.



Ease of use

An elegantly designed user control panel with a two-line 3-color backlit LCD display guides the user through required operations as well as showing printer status at all times. It features a one-button job reprint function for creating multiple copies of the last print job and a one-button job cancel function. A comprehensive set of printer drivers and productivity software, along with an animated, interactive help function ensure that users get the most out of their HL-2460 printer. For an added level of support, the Brother Solutions Center (www.solutions.brother.com) enables the user to access the most up-to-date support materials, information, and drivers for your HL-2460.

Erro









Additional features

Required Options: III Hard Drive G Compact Flash Card N Network Card

Job Spooling Capabilities

Last Job Reprint - this standard feature enables printing your last print job without having to resend it again from your PC.

Secure Job Printing - this standard feature enables the secure printing of your print job by making it password protected. Once saved, the print job can only then be printed by the user who created it.

Adding a hard disk drive or compact flash option to your HL-2400 Series printer can enable the following advanced job spooling, printing and storage functions:

> **Proof Print** - prints a single copy of a print job while it is being stored on the printer's hard drive or compact flash card

Public Print - stores documents for future printing on the hard drive or compact flash without having to resend it again from your PC With the HL-2460N, all documents can be printed through the printer's front panel or Web browser.

Network Printer Driver Wizard

Install printers in networked TCP/IP environments in minutes. Our Network Printer Driver Wizard guides you through a network installation and can even create executable files which when sent to other users allow them to install printer drivers and networking printing software in seconds.

Analysis Software Tool

If or C Use the Analysis Software Tool to analyze individual or workgroup printer usage.

Storage Management Software

For easy management of custom electronic forms, fonts or logos.



Service & support

With toll-free technical support, interactive Flash®-based animated help files, the Brother Solutions Center (http://solutions.brother.com), a standard one-year warranty (plus a variety of optional extended and on-site warranties), and the complete backing of Brother's nationwide network of customer care centers, your investment is well protected.

HL-2460 Technical Specifications





Model

- Print Technology: Electrophotographic laser
- Print Speed¹: Up to 25ppm (letter)
- First Print: Less than 12 seconds
- Resolution: 300dpi, 600dpi, Brother HQ1200²
- Memory: 16MB standard, expandable to 272MB via 100-pin DIMM
- Processor: Toshiba TMPR4955 200 MHz
- Printer Emulations: Automatic emulation switching between PCL6, BR-Script3, (PS/3 language emulation), IBM Pro-Printer XL, Epson FX-850, HP-GL
- Resident Fonts: 66 Scalable Fonts, 12 bitmap fonts, 11 barcodes (PCL), 66 Fonts (BR-Script3)
- Interfaces: IEEE1284 Parallel (ECP), USB, RS-232C Serial

Software

- Printer Drivers: PCL: Windows 95/98/Me/NT 4.0/2000 PostScript 3 PPD file for Windows 95/98/Me/NT 4.0/2000 and Macintosh³
- Other Software: Animated Interactive Help, E-Mail Notification Alert, Automatic E-Mail Printing, Storage Manager

Paper Handling

- Paper Sizes: Letter, legal, executive, A5, A6, B6, B5, and custom sizes from 2.75"x 4.57" to 8.5"x14" Envelopes: Com 10, DL, B5, C5
- Output: 500 sheets face down
- Media Types: Plain paper, bond, recycled, envelopes, labels and transparencies
- Media Weights: Multi-purpose tray: 16-43lbs. Standard paper tray: 16-28lbs.

Physical Dimensions

- **Size:** 18.5" (w), 18.9" (d), 16.6" (h)
- Weight: HL-2460/HL-2460N Approximately 46.2 lbs.

Optional Network Interface:

Networking

- 10/100 BaseT Ethernet (NC-4100h)
- Multi-Protocol Support: TCP/IP, EtherTalk, IPX/SPX, DEC LAT, Banyan Vines, Net BEUI, DLC/LLC
- Network Management Tools: BRAdmin Professional network management utility, Brother Web-based Management System, Network Printer Driver Wizard

Electrical

- Power Requirements: 120 VAC +/- 10% 50/60 Hz
- Power Consumption: Printing < 600W Standby < 80W Sleep Mode < 20W

Environmental

- Temperature: 50°F to 90.5°F (10°C to 32.5°C)
- Humidity: 20%-80% (without condensation)
- Noise: Printing < 55dB Standby < 40dB

Service

- Warranty: One year express exchange warranty
- Service: One-year parts and labor

Supply Yields

• Toner: 11,000 pages @ 5% coverage

Options & Accessories

Item	Part Numbers
Toner/Drum Cartridge 10-bin Mailbox Sorter Duplex Unit Lower Paper Tray Stabilizer for LT7000 Network Print Server Hard Disk Drive IrDA Wireless Interface PS/3 Font Upgrade Package	TN-9500 MX-7010 DX-7000 LT-7000 SB-4000 NC-4100h HD-EX IR-1000 BS-3000

The HL-2460N includes all of the features of the HL-2460 plus a built-in 10/100 BaseT Ethernet card as standard.



www.brother.com

property of their respective companies. Printed in the U.S.A. All specifications subject to change without notice. Brother International Corporation • 100 Somerset Corporate Boulevard • Bridgewater, NJ 08807

For more information please visit our Web site at www.brother.com or call (908) 704-1700 or Brother Fax Back system at (800) 521-2846.

¹Printing speed may vary due to complexity of document, print resolution and/or printer memory. Supply yields are based on letter size media. ²Actual resolution is 2400 x 600dpi. ³Brother recommends users add 10/100 BaseT Ethernet for best performance. ©2003 Brother Industries, Ltd. Brother is a registered trademark of Brother Industries, Ltd. All other brand and product names are