

At your side.  
**brother**®

MFC-3240C

Brother MFC-3240C



**MFC-3240C**

- Colour Print
- Colour Fax
- Colour Copy
- Colour Scan



Always at your side

[www.brother.co.uk](http://www.brother.co.uk)  
<http://solutions.brother.com/index-eu.html>

# The Brother MFC-3240C

Takes on the workload of the modern office with colour print, fax, copy and scan functions.



**Stylish and compact**  
Designed to maximise space



**Illuminated function keys**  
Switch quickly and easily between the features



**Colour printing**  
Professional quality results every time



## MFC-3240C

- Colour Print
- Colour Fax
- Colour Copy
- Colour Scan

**The all-in-one machine that provides a space saving solution to business communication requirements and offers exceptional value for money.**

## Packed with functions and features yet so easy to use

Everything about the MFC-3240C is designed to make your working day go smoothly. The control panel has illuminated function keys, as well as easy to use navigation keys that guide you logically through all the functions.

## Professional quality printing

The MFC-3240C provides outstanding quality and speed in both mono and colour. It is also compatible with both Windows® and Mac®, so whatever system you operate professional results are guaranteed.

- Up to 1200 x 6000dpi true print resolution
- Up to 20ppm mono, 15ppm colour print speed
- Windows® and Mac® compatible

## Multi-page colour faxing

The MFC-3240C allows you to send and receive colour faxes with compatible machines. This is a fax built for speed with a fast throughput and automatic document feeder that reduces the time spent at the machine. The MFC-3240C comes with an impressive paper capacity and a sizeable memory which means you won't lose any important information. Dual access allows a fax to be saved to memory for transmission even when receiving a fax or printing a document.

- Up to 100 sheet paper capacity
- 33.6Kbps modem
- 10 one-touch dials
- 40 speed dials
- Up to 20 page automatic document feeder
- Up to 170 page transmit/receive memory

MFC-3240C

multifunction machine



### Versatile colour copying

This MFC enables you to produce up to 99 quality copies without having to turn on your PC. Documents can be manipulated using 2 in 1 and 4 in 1 mono copying and you can reduce and enlarge in 1% increments to get exactly the image size you want. The convenient 'Stack & Sort' feature saves time collating your documents.

- Up to 600 x 1200dpi resolution
- Crisp definition

### Scanning with Inclusive software

This all-in-one comes complete with the latest scanning software so you can easily scan to e-mail, OCR, image or file.

- Up to 2,400dpi interpolated resolution
- Up to 600 x 1200dpi optical resolution
- One-touch scan to PC

### Software

Brother supplies a number of software applications to enhance the key functions of your machine:

- Scansoft® Paperport® 9.0SE. Turns piles of paper and photos into organised digital files that you can quickly find, use and share.
- Omnipage OCR software\*. Easily turns printed pages into editable electronic documents.
- Brother PC-Fax software\*. Send mono faxes directly from your PC.
- Remote set up facility\*. Configure the settings of your machine from your PC.
- Presto!® PageManager® for Macintosh® including OCR\*. Document management software for Macintosh users including OCR.

*\*Features may differ depending on your PC operating system. Please see driver table for details.*

### Individual ink cartridges

Eliminating the frustration of having to throw away unused inks, Brother's colour inkjet machines provide separate ink cartridges for each colour. Now all you have to do is replace the empty colour cartridge reducing wastage and the cost per copy.

### Capillary ink system

Brother's capillary tube delivery system provides ink from the MFC-3240C's four separate cartridges direct to the print head. The result is a smoother operation and ink cartridges that are quicker and easier to replace.



## Technical Specification

General		
<b>Engine</b>		Inkjet
<b>LCD Display</b>		1 line x 16 characters
<b>Back-lit Function keys</b>		For easy selection of Fax or Copy functions
<b>Back-up for clock</b>		Keeps time and date backed up for 1 hour
<b>Memory Capacity</b>		8MB standard
<b>Paper handling size</b>		A4, LTR, LGL, EXE, A5, A6, Postcard, Envelope + additional sizes
<b>Paper Capacity</b>	Standard paper tray	Up to 100 sheets
	Output paper capacity	Up to 50 sheets
	ADF	Up to 20 sheets
<b>Simultaneous Operation</b>		(Print/Fax) (Print/Copy) (Print/Scan)
Colour Printer		
<b>Speed</b>		Up to 20ppm mono & 15ppm colour
<b>Resolution</b>		Max.1200 x 6000dpi
<b>Warm-up time</b>		Zero warm-up time
<b>Borderless Printing</b>		Borderless printing is available for A4 / LTR / A6 / Photo Card / Index Card / Post Card
<b>Colour Enhancement</b>		Brother Image enhancement allows you to custom colour output
<b>Variable drop size</b>		3 sizes for variable dot print with minimum droplet size of 3pl for enhanced quality printing
Colour Fax		
<b>Modem</b>		33.6kpbs - Approx 3 seconds transmission
<b>Data Compression</b>		Mono: MH / MR / MMR Colour: JPEG
<b>Automatic redial</b>		Automatic redial if the recipient fax is busy
<b>One-touch dials</b>		10 locations
<b>Speed dials</b>		40 locations for pre-stored numbers
<b>Group dials</b>		Up to 6 groups
<b>Fax / Tel switch</b>		Automatic recognition of fax and telephone reception
<b>Distinctive ring detection</b>		Yes
<b>Super fine</b>		Enables quality transmission and reception of very small print or line drawings
<b>Grey scale</b>		64 levels for monochrome, 256 levels for colour
<b>Transmit/Receive Memory</b>		Up to 170 pages (ITU-T Test Chart No 1)
<b>Broadcasting locations</b>		Send the same fax message to up to 100 locations
<b>Batch transmission</b>		Stores documents for the same location in the machines memory for transmission in a single call (mono only)
<b>Auto reduction</b>		Automatically reduces a received fax to fit on to a single sheet of A4
<b>Error correction mode</b>		Where machines share the ECM feature, errors during transmission are corrected automatically ensuring received documents are error free

<b>Fax forwarding</b>		Sends a fax received in memory to another pre-programmed fax number (Mono only)
<b>Remote access</b>		Allows the user to remotely access their machine by using another touch tone phone
<b>Fax retrieval</b>		Allows the user to retrieve fax messages using another touch tone machine (Mono only)
<b>PC Fax</b>		Send faxes from your PC, broadcast to up to 50 locations (Mono only)
<b>Dual Access</b>		Scan a fax for transmission whilst receiving a fax
Colour Copier		
<b>Speed</b>		Up to 17cpm mono & 11cpm colour
<b>Resolution</b>		Up to 600 x 1200dpi
<b>Multi copy</b>		Produces up to 99 copies of each original
<b>Enlargement / reduction ratio</b>		25% - 400% in 1% increments
<b>N in 1</b>	Mono only	Compress 2 or 4 pages onto a single sheet of A4
Colour Scanner		
<b>Resolution</b>	Optical	Max. 600 x 1200dpi
	Interpolated	Max. 2400 x 2400dpi
<b>Scan speed</b>		Scan speed is from 4 seconds Mono and from 9 seconds Colour (A4 size, 100 x 100dpi)
<b>Grey Scale</b>		256 shades of grey
<b>Colour Depth</b>		This model has a 36 bit internal processing colour scanner
<b>'Scan' key</b>		Allows the user to scan to e-mail, OCR, Image or File
Interface(s)		
<b>USB</b>		USB 2.0 Full Speed connection as standard
<b>External TAD Interface</b>		Interface for connecting external telephone answering device
Supplies - Individual Ink Cartridges		
<b>Supplied with standard yield cartridges. Pages in normal mode @ 5% coverage</b>	Black	LC900BK - 500 pages
	Cyan	LC900C - 400 pages
	Magenta	LC900M - 400 pages
	Yellow	LC900Y - 400 pages
	Black High Yield	LC900HYBK - 900 pages
Weights and Dimensions		
<b>Dimensions / Weight</b>	With Carton	455(w) x 295(d) x 460(h) mm / 7.9kg
	Without Carton	375(w) x 365(d) x 181(h) mm / 5.0kg

Computing System	MINIMUM SYSTEM REQUIREMENTS					AVAILABLE HARD DISK SPACE	
	OPERATING SYSTEM VERSION	PC INTERFACE	PROCESSOR SPEED	MINIMUM RAM	RECOMMENDED RAM	For Drivers	For Applications
Windows®	98 (SE)	USB	Pentium® II or equivalent	32 MB	64 MB	90 MB	130 MB
	Me	USB	Pentium® II or equivalent	32 MB	64 MB	90 MB	130 MB
	2000 Professional	USB	Pentium® II or equivalent	64 MB	128 MB	90 MB	130 MB
	XP	USB	Pentium® II or equivalent	128 MB	256 MB	150 MB	220 MB
Macintosh®	OS 8.6	USB	All base models meet minimum requirements		64 MB	80 MB	200 MB
	OS 9.x	USB	All base models meet minimum requirements		64 MB	80 MB	200 MB
	OSX 10.2.4 or greater	USB	All base models meet minimum requirements	128 MB	160 MB	80 MB	200 MB

MFC-3240C	Scanner Resolution Up to DPI	TWAIN WIA Driver	Scan to Image	Scan to E-mail	Scan to OCR	Scan to File	Brother PC-FAX Send*	Printer Driver	Brother Control Centre 2.0	Remote Setup	Status Monitor	NewSoft® Prestal® PageManager®	ScanSoft® PaperPort® 9.0SE
Microsoft Windows®													
98(SE)/Me	2,400x2,400	TWAIN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2000 Professional	2,400x2,400	TWAIN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
XP	1200x1200**	WIA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Macintosh®													
OS 8.6							✓	✓				✓	
OS 9.x	2,400x2,400	TWAIN					✓	✓				✓	
OSX 10.2.4 or greater	2,400x2,400	TWAIN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

\*Mono only  
\*\*Brother Scanner Utility enables to enhance up to 2,400 x 2,400dpi

Contact:



### Brother UK Ltd

Audenshaw, Manchester M34 5JD

Tel: 0870 830 4000 (National Rate Call) Fax: 0870 830 4031

Web-site: [www.brother.co.uk](http://www.brother.co.uk)

Your calls to us may be monitored or recorded for training purposes.

Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd.

Brand product names are registered trademarks or trademarks of their respective companies.